


## Paraplegic rats walk again after therapy, now we know why



VIDEO



**Paraplegic rats walk again in response to neuroprosthetic rehabilitation that allows the brain to elaborate new routes so that motor commands about walking, swimming and even climbing stair cases reach spinal cord execution centers below the injury.**

With the help of robot-assisted rehabilitation and electrochemical spinal cord stimulation, rats with clinically-relevant spinal cord injury regain control of their otherwise paralyzed limbs. But how do brain commands—about walking, swimming and stair-climbing – bypass the injury and still reach the spinal cord to execute these complex tasks? [NCCR Robotics](#) scientists have observed for the first time that the brain reroutes task-specific motor commands through alternative pathways originating in the brainstem and projecting to the spinal cord. The therapy triggers the growth of new connections from the motor cortex into the brainstem and from the brainstem into the spinal cord, thus reconnecting the brain with the spinal cord below the injury. The results are published in *Nature Neuroscience* March 19th.

“The brain develops new anatomical connections through regions of the nervous system that are still intact after injury,” says NCCR Robotics Professor [Grégoire Courtine](#). “The brain essentially rewires circuits from the cerebral cortex, brainstem and spinal cord—an extensive rewiring that we exposed to unprecedented detail using next-generation whole brain-spinal cord microscopy.”


“The recovery is not spontaneous,” furthers [EPFL](#) scientist and lead author Léonie Asboth. “You need to engage the animals in an intense rehabilitation therapy for the rewiring to take place. In our case, this therapy involves electrochemical stimulation of the spinal cord and active physiotherapy in a smart assistive harness.”

In [Courtine's lab](#), rats with a contusion that leads to complete paraplegia learn to walk again with the help of therapy that combines electrochemical stimulation of the spinal cord and robot-assisted rehabilitation. The rat's spinal cord is first stimulated with pharmaceuticals, then electrically stimulated below the injury to activate muscles in the legs. Combined with therapy in a smart harness that alleviates the body's weight providing natural walking conditions, and after just a few weeks of training, the rats regain extensive control over their hindlimbs – at will – even without electrochemical stimulation or the harness. In 2012, Courtine and his team showed that [rats with spinal injury could climb stairs and swim with neuroprosthetic rehabilitation](#).

Comparing the brains of injured rats after rehabilitation with those of healthy ones, the scientists were able to identify a region in the brainstem, the reticular formation, as being key in leading to recovery. The scientists uncovered this role using optogenetics and chemogenetics in transgenic animals, an ensemble of precise tools that allowed the activation and inactivation of well-defined circuits in the brain and brainstem to probe their function. They also exploited a new powerful light-sheet microscope developed by the Wyss Center for Bio and Neuroengineering in Geneva to visualize neural tracts. The entire central nervous system was rendered transparent, with the exception of the neural tracts that expressed a fluorescent protein. By passing a sheet of light throughout the non-sectioned brain and spinal cord, the scientists obtained previously unseen 3D images that showed the organisation of neural tracts in healthy animals and how the therapy reorganised these pathways without any bias. The injured neurons do not regrow spontaneously, but a reorganisation of the neural branching occurs above the injury leading to new connections.

It remains to be seen if neuroprosthetic rehabilitation in people lead to an analogous rewiring of the brain, brainstem and spinal cord. Courtine is optimistic, “ We previously showed that plasticity, the remarkable ability of the nervous system to grow new connections after spinal cord injury, is even more robust in humans than in rodents. We are currently testing our therapy in people with spinal cord injury at the Lausanne university hospital (CHUV).”





Contact: Prof. Grégoire Courtine E:  
gregoire.courtine@epfl.ch  
T: +41 21 693 8343, +41 21 693 0762  
Léonie Asboth E  
leonie.asboth@epfl.ch  
T : +41 (0) 21 69 37 292

---

## NCCR Robotics

The Swiss National Center of Competence in Robotics (NCCR Robotics) is a federally funded programme bringing together robotics laboratories from EPFL, ETH Zurich, University of Zurich, IDSIA and UNIBE to work on wearable, rescue and educational robots.

Keep up to date with NCCR Robotics



---

## CONTACT DETAILS

### NCCR Robotics Director

Prof. Dario Floreano

### Publisher

NCCR Robotics

Management Team

### Text written by

Hillary Sanctuary, EPFL

Mediacom

### Editor

Joëlle Mottier

### Web Editing

Mayra Lirot

### Design

Alternative

Communication SA

### NCCR Robotics

Office ME D1 1526, Station 9,

EPFL CH-1015 Lausanne

Switzerland

+41 21 693 26 67

[nccr-robotics@epfl.ch](mailto:nccr-robotics@epfl.ch) / [nccr-robotics.ch](http://nccr-robotics.ch)

Leading House



Co-leading House



