


[View this email in your browser](#)

## A miniature stretchable pump for the next generation of soft robots

**Scientists at EPFL have developed a tiny pump that could play a big role in the development of autonomous soft robots, lightweight exoskeletons and smart clothing. Flexible, silent and weighing only one gram, it is poised to replace the rigid, noisy and bulky pumps currently used. The scientists' work has just been published in Nature.**

Soft robots have a distinct advantage over their rigid forebears: they can adapt to complex environments, handle fragile objects and interact safely with humans. Made from silicone, rubber or other stretchable polymers, they are ideal for use in rehabilitation exoskeletons – such as the ones being developed in the NCCR Robotics “Wearable Robotics” research line – and robotic clothing. Soft bio-inspired robots could one day be deployed to explore remote or dangerous environments.

Most soft robots are actuated by rigid, noisy pumps that push fluids into the machines' moving parts. Because they are connected to these bulky pumps by tubes, these robots have limited autonomy and are cumbersome to wear at best.



### Cutting soft robots' tether

Researchers in EPFL's Soft Transducers Laboratory (LMTS) and Laboratory of Intelligent Systems (LIS – led by NCCR Robotics Director Dario Floreano), in collaboration with researchers at the Shibaura Institute of Technology in Tokyo, Japan, have developed the first entirely soft pump – even the electrodes are flexible. Weighing just one gram, the pump is completely silent and consumes very little power, which it gets from a 2 cm by 2 cm circuit that includes a rechargeable battery. “If we want to actuate larger robots, we connect several pumps together,” says Herbert Shea, the director of the LMTS.

This innovative pump could rid soft robots of their tethers. “We consider this a paradigm shift in the field of soft robotics,” adds Shea. The researchers have just published an article on their work in Nature.

example.

## How does it work?

The soft and stretchable pump is based on the physical mechanism used today to circulate the cooling liquid in systems like supercomputers. The pump has a tube-shaped channel, 1mm in diameter, inside of which rows of electrodes are printed. The pump is filled with a dielectric liquid. When a voltage is applied, electrons jump from the electrodes to the liquid, giving some of the molecules an electrical charge. These molecules are subsequently attracted to other electrodes, pulling along the rest of the fluid through the tube with them. "We can speed up the flow by adjusting the electric field, yet it remains completely silent," says Vito Cacucciolo, a post-doc at the LMTS and the lead author of the study.



## Developing artificial muscles in Japan

The researchers have successfully implanted their pump in a type of robotic finger widely used in soft robotics labs. They are now collaborating with Koichi Suzumori's laboratory in Japan, which is developing fluid-driven artificial muscles and flexible exoskeletons.

The EPFL team has also fitted a fabric glove with tubes and shown that it is possible to heat or cool regions of the glove as desired using the pump. "It works a little like your home heating and cooling system" says Cacucciolo. This application has already sparked interest from a number of companies.

## Literature

V. Cacucciolo, J. Shintake, Y. Kuwajima, S. Maeda, D. Floreano, H. Shea, "Stretchable pumps for soft machines", *Nature*, vol. 572, no 7769, Aug. 2019.

doi: 10.1038/s41586-019-1479-6

## Media contacts

NCCR Robotics Media Relations, nicola.nosengo@epfl.ch

EPFL Media Relations, +41 21 693 22 22, press@epfl.ch

Herbert Shea (Soft Transducers Laboratory, EPFL), +41 21 693 66 63, herbert.shea@epfl.ch

Vito Cacucciolo (Soft Transducers Laboratory, EPFL), +41 21 695 41 06, vito.cacucciolo@epfl.ch

Shinga Maeda (Shibaura Institute of Technology, Tokyo), maeshin@shibaura-it.ac.jp

---

## NCCR Robotics

[Subscribe](#)[Past Issues](#)[Translate ▼](#)[RSS](#)

## CONTACT DETAILS

**NCCR Robotics Director**

Prof. Dario Floreano

**Publisher**

NCCR Robotics

**Text written by**

Laure-Anne Pessina, EPFL Mediacom / Nicola Nosengo

**Web Edition**

NCCR Robotics

**Design**

Alternative Communication SA

**NCCR Robotics**

Office ME D1 1526, Station 9,

EPFL CH-1015 Lausanne

Switzerland

+41 21 693 26 67

nccr-robotics@epfl.ch / nccr-robotics.ch



The National Centres of Competence in Research are a research instrument of the Swiss National Science Foundation.

© 2019 NCCR Robotics all rights reserved for NCCR Robotics texts. Images: Vito Cacucciolo/EPFL

14 August 2019



This email was sent to <<Email Address>>

*Why did I get this?*

[Update your preferences](#) or [Unsubscribe from this list](#)

NCCR Robotics · NCCR Robotics · EPFL · MED 1 1526 Station 9 · Lausanne CH-1015 · Switzerland